



Safety Data Sheet

Product identifier used on the label: DURAGARD® SUPER DIAMOND SYN® 100% SYNTHETIC SAE 0W-40 MOTOR OIL

Stock Number: DURSYN0W40

Revision Date: 09-15-2019

Replaces:

1. IDENTIFICATION

Product identifier used on the label: DURAGARD® SUPER DIAMOND SYN® 100% SYNTHETIC SAE 0W-40 MOTOR OIL

Stock Number: DURSUPSYN0W40

Other means of identification:

Synonyms: No data available

Recommended use of the chemical and restrictions on use:

Recommended use: Motor Oil

Restrictions on use: Uses other than those described above

Name, address, and telephone number of the chemical manufacturer, distributor, importer, or other responsible party:

Advantage Dist. & Lubricants, LLC 3434
Marion Road SE
Rochester, MN 55904
United States of America
www.advantagelubes.com

Phone number: +01 (800) 420-1414 +01 (507) 289-5555

E-mail address: info@advantagelubes.com

Emergency phone number: CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887

2. HAZARDS IDENTIFICATION

Appearance Light amber, viscous liquid

Physical State Viscous liquid

Odor Typical petroleum

Classification

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

Safety Data Sheet

Product identifier used on the label: DURAGARD® SUPER DIAMOND SYN® 100% SYNTHETIC SAE 0W-40 MOTOR OIL
Stock Number: DURSUPSYN0W40 Revision Date: 09-15-2019

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	80-90

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact	Flush eyes with large amounts of water, for at least 15 minutes, until irritation subsides. If irritation persists, get medical attention.
Skin Contact	No treatment is necessary under ordinary circumstances. Remove contaminated clothing if necessary. Wash contaminated area thoroughly with soap and water. If redness or irritation occurs and persists, seek medical attention. If product is injected into or under the skin, or into any part of the body, regardless of the appearance of the wound or its size, the individual should seek immediate medical attention.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult give oxygen. Get medical attention.
Ingestion	If swallowed, do not induce vomiting. If victim exhibits signs of lung aspiration such as coughing or choking, seek immediate medical attention.

Most important symptoms and effects

Symptoms	Expected to be a minor eye irritant. Repeated or prolonged skin contact may cause dermatitis.
-----------------	-----------------------------------------------------------------------------------------------

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use dry chemical, foam, carbon dioxide or water fog.

Unsuitable Extinguishing Media While carbon dioxide and inert will extinguish the fire, they can also displace oxygen. Use caution when applying carbon dioxide or inert gas in confined spaces.

Specific Hazards Arising from the Chemical

This material can burn but will not readily ignite. This material will release vapors when heated above the flashpoint temperature that can ignite when exposed to a source of ignition. In enclosed spaces, heated vapor can ignite with explosive force. Mists or sprays may burn at temperatures below the flashpoint. Dense smoke may be generated while burning.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO₂). Aldehydes. Ketones. Combustion products of sulfur and nitrogen.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Avoid breathing smoke and vapor. Water may be used to cool containers exposed to heat or flame.

Safety Data Sheet

Product identifier used on the label: DURAGARD® SUPER DIAMOND SYN® 100% SYNTHETIC SAE 0W-40 MOTOR OIL
Stock Number: DURSUPSYNOW40 Revision Date: 09-15-2019

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

- | | |
|----------------------------------|-------------------------------------------------------|
| Personal Precautions | Use personal protective equipment as required. |
| Environmental Precautions | See Section 12 for additional Ecological Information. |

Methods and material for containment and cleaning up

- | | |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| Methods for Containment | Remove sources of ignition. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. |
| Methods for Clean-Up | Take up small spills with absorbent pads. Large spills may be taken up with pump or vacuum. |

7. HANDLING AND STORAGE

Precautions for safe handling

- | | |
|--------------------------------|------------------------------------------------------------------------|
| Advice on Safe Handling | Handle in accordance with good industrial hygiene and safety practice. |
|--------------------------------|------------------------------------------------------------------------|

Conditions for safe storage, including any incompatibilities

- | | |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Storage Conditions | Store at ambient conditions. Store at atmospheric pressure. Keep container tightly closed. Store in a cool, well-ventilated place. Keep away from heat, sparks, and flame. Store away from incompatible materials. Empty containers retain product residues. |
| Incompatible Materials | This product may react with strong oxidizing agents. |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Appropriate engineering controls

- | | |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Engineering Controls | Use general ventilation and use local exhaust, where possible, in confined or enclosed spaces. If product is heated above 70 C (155 F) in the presence of water, hydrogen sulfide vapors may be released. Ventilation should be sufficient to keep hydrogen sulfide levels below recommended exposure limits. Eye wash fountains are recommended. |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Individual protection measures, such as personal protective equipment

- | | |
|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eye/Face Protection | Wear safety glasses. Wear chemical goggles or face shield if splash or mist occurs. |
| Skin and Body Protection | Use impervious gloves for prolonged contact. Wear oil-impervious garments if contact is unavoidable. |
| Respiratory Protection | If mist is generated (heating, spraying) and engineering controls are not sufficient, wear approved organic vapor respirator suitable for oil mist. |
| General Hygiene Considerations | Use good hygiene when handling petroleum product. Launder contaminated clothing before reuse. Excessive misting may cause slippery floors - wear appropriate footwear. |

Safety Data Sheet

Product identifier used on the label: DURAGARD® SUPER DIAMOND SYN® 100% SYNTHETIC SAE 0W-40 MOTOR OIL
Stock Number: DURSUPSYNOW40 Revision Date: 09-15-2019

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Viscous liquid	Odor	Typical petroleum
Appearance	Light amber, viscous liquid	Odor Threshold	Not available
Color	Light amber		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	Not available	
Melting Point/Freezing Point	Not available	
Boiling Point/Boiling Range	Not available	
Flash Point	204 °C / 400 °F	ASTM D-92
Evaporation Rate	Not available	
Flammability (Solid, Gas)	Liquid-Not applicable	
Upper Flammability Limits	Not determined	
Lower Flammability Limit	Not determined	
Vapor Pressure	Not available	
Vapor Density	>1	(Air=1)
Specific Gravity	0.86	
Water Solubility	insoluble	
Solubility in other solvents	Not determined	
Partition Coefficient	Not available	
Auto-ignition Temperature	No data available	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions to Avoid

Avoid formation of mists. Keep away from heat, sparks and open flame. Incompatible Materials.

Incompatible Materials

This product may react with strong oxidizing agents.

Hazardous Decomposition Products

Decomposition of this product may yield oxides of boron, calcium, magnesium, nitrogen, phosphorus, sulfur including hydrogen sulfide and zinc as well as carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Safety Data Sheet

Product identifier used on the label: DURAGARD® SUPER DIAMOND SYN® 100% SYNTHETIC SAE 0W-40 MOTOR OIL

Stock Number: DURSUPSYNOW40 Revision Date: 09-15-2019

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact Avoid contact with skin.

Inhalation Do not inhale.

Ingestion Do not ingest.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Zinc alkyl dithiophosphate 2215-35-2	= 2000 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	-

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7		5000: 96 h Oncorhynchus mykiss mg/L LC50		1000: 48 h Daphnia magna mg/L EC50
Zinc alkyl dithiophosphate 2215-35-2	1.0 - 5.0: 96 h Pseudokirchneriella subcapitata mg/L EC50	100: 96 h Pimephales promelas mg/L LC50 semi- static 25 - 50: 96 h Pimephales promelas mg/L LC50 static		4.0 - 6.0: 48 h Daphnia magna mg/L EC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined

Other Adverse Effects

Not determined

Safety Data Sheet

Product identifier used on the label: DURAGARD® SUPER DIAMOND SYN® 100% SYNTHETIC SAE 0W-40 MOTOR OIL

Stock Number: DURSUPSYNOW40 Revision Date: 09-15-2019

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

Not regulated

IATA

Not regulated

IMDG

Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Petroleum distillates, hydrotreated heavy paraffinic	Present	X		Present		Present	X	Present	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Safety Data Sheet

Product identifier used on the label: DURAGARD® SUPER DIAMOND SYN® 100% SYNTHETIC SAE 0W-40 MOTOR OIL

Stock Number: DURSUPSYNOW40 Revision Date: 09-15-2019

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc alkyl dithiophosphate		X		
Zinc alkyl dithiophosphate		X		

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Zinc alkyl dithiophosphate 2215-35-2	X		X
Zinc alkyl dithiophosphate 113706-15-3	X		X

16. OTHER INFORMATION

NFPA

Health Hazards

0

Flammability

1

Instability

0

Special Hazards

Not determined

HMIS

Health Hazards

1

Flammability

1

Physical Hazards

0

Personal Protection

Not determined

Issue Date:

27-Mar-2015

Review Date:

September 5, 2019

Revision Note:

N/A

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet